


LASER CUT SCREENS WALL FIXED



LASER SCREEN BORDERS

40mm Screen Border on All Edges unless otherwise specified

WALL FIXED FEATURE PANELS

19mm Standoff Fixings - 316 Polished Stainless Steel (10mm or 20mm Standoff options)

SUGGESTED FIXING OPTIONS*

Coloured Tek 10-12*20 Screws

Coloured 22mm Wafer Head Screws

Aluminium Rivets

Non-Coloured Timber Screws

*Fixing colours subject to availability

LASER SCREEN MATERIAL OPTIONS

Powder Coated Aluminium

3mm thick 6063 T6 Aluminium

Are available in the Interpon Powder Coating Colour Range

MAX SCREEN SIZE: 3000 x 1500mm

Weathering Steel (Corten)

3mm thick high strength Weathering Steel

Forms a stable, attractive rust-like appearance

MAX SCREEN SIZE: 2400 x 1200mm

TITLE: **LASER CUT SCREENS
WALL FIXED PANEL
TYPICAL ASSEMBLY
(NEO SCREEN SHOWN)**

CONTACT: sales@oxworks.com.au

LASER SCREEN BORDERS

40mm Screen Border on All Edges unless otherwise specified

WALL FIXED FEATURE PANELS

19mm Standoff Fixings - 316 Polished Stainless Steel (10mm or 20mm Standoff options)

SUGGESTED FIXING OPTIONS*

- Coloured Tek 10-12*20 Screws
- Coloured 22mm Wafer Head Screws
- Aluminium Rivets
- Non-Coloured Timber Screws

*Fixing colours subject to availability

LASER SCREEN MATERIAL OPTIONS

Powder Coated Aluminium

3mm thick 6063 T6 Aluminium
Are available in the Interpon Powder Coating Colour Range

MAX SCREEN SIZE: 3000 x 1500mm

Weathering Steel (Corten)


3mm thick high strength Weathering Steel
Forms a stable, attractive rust-like appearance

MAX SCREEN SIZE: 2400 x 1200mm



TITLE: **LASER CUT SCREENS
WALL FIXED PANEL
UNASSEMBLED CONFIGURATION
(NEO SCREEN SHOWN)**

CONTACT: sales@oxworks.com.au

oxworks.com.au ☎ 1300 336 237



LASER CUT SCREENS FRAME FIXED



LASER PANEL FRAME

25 x 25 x 2mm SHS Aluminium Frame

Mitred Corners

Laser Screen dimensions are set 5mm shorter on each edge than frame size to account for radius edge.

LASER DESIGN BORDERS

40mm Screen Border on All Edges unless otherwise specified

LASER SCREENS FIXING HOLES

3mm Pre-Drilled Holes - 15mm in from edge

Holes placed every 300mm - 400mm (approx.) around the edge of the screen

SUGGESTED FIXING OPTIONS*

Coloured Tek 10-12*20 Screws

Coloured 22mm Wafer Head Screws

Aluminium Rivets

Non-Coloured Timber Screws

*Fixing colours subject to availability

LASER SCREEN MATERIAL OPTIONS

Powder Coated Aluminium

3mm thick 6063 T6 Aluminium

Are available in the Interpon Powder Coating Colour Range

MAX SCREEN SIZE: 3000 x 1500mm

Weathering Steel (Corten)

3mm thick high strength Weathering Steel



Forms a stable, attractive rust-like appearance

MAX SCREEN SIZE: 2400 x 1200mm

TITLE: **FRAME FIXED LASER CUT PANEL
TYPICAL ASSEMBLY
(BAMBOO SCREEN SHOWN)**

CONTACT: sales@oxworks.com.au

oxworks.com.au ☎ 1300 336 237



LASER PANEL FRAME

25 x 25 x 2mm SHS Aluminium Frame

Mitred Corners

Laser Screen dimensions are set 5mm shorter on each edge than frame size to account for radius edge.

LASER DESIGN BORDERS

40mm Screen Border on All Edges unless otherwise specified

LASER SCREENS FIXING HOLES

3mm Pre-Drilled Holes - 15mm in from edge

Holes placed every 300mm - 400mm (approx.) around the edge of the screen

SUGGESTED FIXING OPTIONS*

Coloured Tek 10-12*20 Screws

Coloured 22mm Wafer Head Screws

Aluminium Rivets

Non-Coloured Timber Screws

*Fixing colours subject to availability

LASER SCREEN MATERIAL OPTIONS

Powder Coated Aluminium

3mm thick 6063 T6 Aluminium

Are available in the Interpon Powder Coating Colour Range

MAX SCREEN SIZE: 3000 x 1500mm

Weathering Steel (Corten)


3mm thick high strength Weathering Steel

Forms a stable, attractive rust-like appearance

MAX SCREEN SIZE: 2400 x 1200mm

TITLE: **FRAME FIXED LASER CUT PANEL
UNASSEMBLED CONFIGURATION
(BAMBOO SCREEN SHOWN)**

CONTACT: sales@oxworks.com.au



LASER SCREEN FRAME W/ WINDOW ARMS - TYPICAL ASSEMBLY (MARRAKESH SCREEN SHOWN)

LASER SCREEN FRAME

25 x 25 x 3mm SHS Aluminium Frame

Mitred Corners

LASER SCREEN BORDERS

40mm Screen Border on All Edges

WINDOW SCREEN SYSTEM

25 x 75 x 312mm Window Panel Arm

Fixings dependent on project

SUGGESTED FIXING OPTIONS*

Coloured Tek 10-12*20 Screws

Coloured 22mm Wafer Head Screws

Aluminium Rivets

Non-Coloured Timber Screws

*Fixing colours subject to availability

LASER SCREEN MATERIAL OPTIONS

Powder Coated Aluminium

3mm thick 6063 T6 Aluminium

Are available in the Interpon Powder Coating Colour Range

MAX SCREEN SIZE: 3000 x 1500mm

Weathering Steel (Corten)


3mm thick high strength Weathering Steel

Forms a stable, attractive rust-like appearance

MAX SCREEN SIZE: 2400 x 1200mm

TITLE: **LASER CUT SCREENS
FRAME W/ WINDOW ARMS
TYPICAL ASSEMBLY
(MARRAKESH SCREEN SHOWN)**

CONTACT: sales@oxworks.com.au



LASER SCREEN FRAME

25 x 25 x 3mm SHS Aluminium Frame

Mitred Corners

LASER SCREEN BORDERS

40mm Screen Border on All Edges

WINDOW SCREEN SYSTEM

25 x 75 x 312mm Window Panel Arm

Fixings dependent on project

SUGGESTED FIXING OPTIONS*

Coloured Tek 10-12*20 Screws

Coloured 22mm Wafer Head Screws

Aluminium Rivets

Non-Coloured Timber Screws

*Fixing colours subject to availability

LASER SCREEN MATERIAL OPTIONS

Powder Coated Aluminium

3mm thick 6063 T6 Aluminium

Are available in the Interpon Powder Coating Colour Range

MAX SCREEN SIZE: 3000 x 1500mm

Weathering Steel (Corten)

3mm thick high strength Weathering Steel


Forms a stable, attractive rust-like appearance

MAX SCREEN SIZE: 2400 x 1200mm

TITLE: **LASER CUT SCREENS
FRAME W/ WINDOW ARMS
UNASSEMBLED CONFIGURATION
(MARRAKESH SCREEN SHOWN)**

CONTACT: sales@oxworks.com.au

oxworks.com.au ☎ 1300 336 237



WINDOW PANEL ARM

LASER CUT SCREENS FACE FIXED

LASER SCREEN FRAME

40mm Screen Border on All Edges unless otherwise specified

FACE FIXED PANEL FIXINGS

25 x 25mm or 40 x 40mm
Powder Coated Aluminium Angle Fixings

SUGGESTED FIXING OPTIONS*

Coloured Tek 10-12*20 Screws

Coloured 22mm Wafer Head Screws

Aluminium Rivets

Non-Coloured Timber Screws

*Fixing colours subject to availability

LASER SCREEN BORDERS

40mm Screen Border on All Edges

LASER SCREEN MATERIAL OPTIONS

Powder Coated Aluminium

3mm thick 6063 T6 Aluminium

Are available in the Interpon Powder Coating Colour Range

MAX SCREEN SIZE: 3000 x 1500mm

Weathering Steel (Corten)

3mm thick high strength Weathering Steel


Forms a stable, attractive rust-like appearance

MAX SCREEN SIZE: 2400 x 1200mm

TITLE: **LASER CUT SCREENS FACE FIXED
TYPICAL ASSEMBLY
(HERRINGBONE SCREEN SHOWN)**

CONTACT: sales@oxworks.com.au

oxworks.com.au ☎ 1300 336 237



FACE FIXED LASER SCREEN TO EXISTING POSTS

(HERRINGBONE SCREEN SHOWN)